

Model: ZXLE050E-TFD

Refrigerant: R404A Dew Point

S.I.

Evaporating Temperature	t	-35,00	°C
Annual electricity consumption	Q	17898	kWh/y
Seasonal energy performance ratio	SEPR	1,87	

Parameters at full load and ambient temperature 32°C

Capacity (rated)	P_A	4,50	kW
Power Input (rated)	D_A	3,57	kW
COP (rated)	COP_A	1,26	

Parameters at part load and ambient temperature 25°C

Capacity (declared)	P_B	4,71	kW
Power Input (declared)	D_B	3,11	kW
COP (declared)	COP_B	1,52	

Parameters at part load and ambient temperature 15°C

Capacity (declared)	P_C	4,98	kW
Power Input (declared)	D_C	2,61	kW
COP (declared)	COP_C	1,91	

Parameters at part load and ambient temperature 5°C

Capacity (declared)	P_D	5,18	kW
Power Input (declared)	D_D	2,23	kW
COP (declared)	COP_D	2,32	

Parameters at full load and ambient temperature 43°C

Capacity	P_3	4,11	kW
Power Input	D_3	4,54	kW
COP	COP_3	0,91	

Other items

Capacity control		Fixed	
Degradation coefficient	Cds	0.25	

Contact details

Emerson Climate Technologies - European Headquarters - Pascalstrasse 65 - 52076 Aachen, Germany
 Phone: +49 (0) 2408 929 0 - Fax: +49 (0) 2408 929 570 - Internet: www.emersonclimate.eu